

 *Maxxima*[®]

LED SNOW PLOW HEADLIGHTS



AVAILABLE WITH  *MaxxHeat* HEATED LENS

MaxxHeat MSPHL-20 SERIES SNOW PLOW HEADLIGHT



Dual Color LED Bar
Amber Turn Signal, White DRL, or optional Flashing Warning

Integrated DT04 Deutsch-Style Connector
with 8-foot Shielded Cable



100-Degree Adjustable Swivel Bracket
Bottom Mount or Rear Mount




2.7" to 3.5"
Adjustable Bolts



9.0" W

3.7" D



5.6" H

6.3" H

MSPHL-20DRL-SERIES MULTI-FUNCTION HEADLIGHT, TURN SIGNAL, DRL PARKING LAMP, AND FLASHING WARNING LIGHT

The MSPHL-20DRL Series is an Externally-Mounted Headlamp designed for Snow Plow and other Industrial applications. This multi-function Headlamp comes with a built-in Amber Turn Signal (LH or RH) and White DRL Daytime Running Light / Park Light (SAE P). The center LED bar uses 2 color Amber/White LEDs that will function as DRL, Park, Amber Turn, or optional Flashing Warning.

The durable 3mm thick High Impact Glass lens incorporates optional *MaxxHeat* Heated Lens Technology which turns on automatically as needed to keep snow and ice melted. The universal design can be mounted on left or right side of the vehicle using the 100-degree adjustable swivel bracket – which accommodates a bottom-mount or a rear-mount application. It comes with an 8.2 feet Shielded 6-conductor cable assembly for easy Installation which plugs into the integrated Deutsch-style DT04-6P water-proof connector. The two robust M10 mounting bolts are adjustable side to side between 2.7 inches and 3.5 inches center to center. The MSPHL-20 Series is built with a cast aluminum housing and high impact glass and polycarbonate lens and is backed by a 3-year warranty.

MaxxHeat MSPHL-20 SERIES SNOW PLOW HEADLIGHT



PART NUMBER	DESCRIPTION	SPECIFICATIONS
MSPHL-20DRL	SNOW PLOW HEADLIGHT	Voltage 12/24VDC Amp Draw Low Beam 1.2A High Beam 2.2A Heat 4.0A, Max Amp 7.5A (MH Model) Dimensions 9.0"W x 6.3"H x 3.7"D Connector Integrated DT04-Style, 8.2 foot shielded 6-conductor cable, blunt cut LEDs 24 Total (20 Amber/White, and 4 High Power LEDs) Legal Heading DOT VOL SAE HL DRL I5 P W-1 DOT/SAE FMVSS108/CMVSS108 SAE J2087, J2650, J595
MSPHL-20DRL-MH	SNOW PLOW HEADLIGHT <i>MAXXHEAT</i>	

FEATURES

- Multi-Function Headlight, Turn Signal, DRL, Parking Lamp, and Flashing Warning
- DOT FMVSS108 Complaint (All functions)
- Available with *MaxxHeat* Heated Lens, Automatically Activates
- Optional SAE J595 Class 1 Flashing Warning Light
- Integrated Turn Signal and DRL / Park Light
- Universal – Left or Right Mount
- 2-Stud Mount with Adjustable Swivel Bracket
- 8.2 foot Shielded Cable for Easy Install
- 100-degree Swivel Bracket for Bottom-Mount or Rear-Mount
- Weight 5lb 4oz (5lb 5oz - MH Model)
- 3 Year Warranty

PART NUMBER	DESCRIPTION
MSPHL-20DRL	Snow Plow Headlight
MSPHL-20DRL-MH	Snow Plow Headlight <i>MaxxHeat</i>

MHLE-SERIES MAXXHEAT HEATED LED HEADLIGHTS



PART NUMBER	DESCRIPTION
MHLE-4X6LO-MH	4" X 6" LOW BEAM LED HEADLIGHT MAXXHEAT
MHLE-4X6HI-MH	4" X 6" HIGH BEAM LED HEADLIGHT MAXXHEAT
MHLE-5X7HILO-MH	5" X 7" HIGH/LOW LED HEADLIGHT MAXXHEAT
MHLE-07HILO-MH	7" ROUND HIGH/LOW LED HEADLIGHT MAXXHEAT

FEATURES	
<ul style="list-style-type: none"> • Heating element is activated when the temperature drops below 45°F (7°C) • "Heat On" Indicator lights up when heating element is on • Polycarbonate Housing / Polycarbonate Lens 	<ul style="list-style-type: none"> • MaxxShield Hard Coating with UV Protection • Standard 3-pin or 2-pin H4 Connector • Retrofits ANSI # H4651 (HI), H4656 (LO) • DOT FMVSS108 / CMVSS108 Compliant • 3 Year Warranty

VIONIC VHL-SERIES MAXXHEAT HEATED LED HEADLIGHTS



PART NUMBER	DESCRIPTION
VHL-4X6DRL2-MH	4" X 6" LOW BEAM / DRL MAXXHEAT
VHL-4X6LO2-MH	4" X 6" LOW BEAM MAXXHEAT
VHL-4X6HI2-MH	4" X 6" HIGH BEAM MAXXHEAT

FEATURES	
<ul style="list-style-type: none"> • Heating element is activated when the temperature drops below 45°F (7°C) • Clear Heating Element covers the entire lens—No visible wires • Aluminum Housing / Polycarbonate Lens • MaxxShield Hard Coating with UV Protection 	<ul style="list-style-type: none"> • Patented LED Daytime Running Light (DRL) DOT Compliant DRL • US Patent # 10,076,992 • Retrofits ANSI # H4651 (HI), H4656 (LO) • DOT FMVSS108 / CMVSS108 Compliant • 5 Year Warranty

4.8" ROUND MAXXHEAT HEATED LED WORKLIGHTS



PART NUMBER	DESCRIPTION
MWL-19-A-MH	4.8" ROUND HEATED LENS
MWL-19Y-A-MH	AMBER 4.8" ROUND HEATED LENS

FEATURES	
<ul style="list-style-type: none"> • 675 Lumens (White) • 15 LEDs • Polycarbonate Lens & Housing 	<ul style="list-style-type: none"> • Stainless Steel Bracket & Bolt • 5 Year Warranty

4" AND 6" OVAL MAXXHEAT HEATED LED STOP/TURN/TAILO LIGHTS



PART NUMBER	DESCRIPTION
M42358R-MH	4" ROUND STT WITH PL-3 MAXXHEAT
M42358RDF-MH	4" ROUND STT WITH DRYFIT MAXXHEAT
M63348R-MH	6" OVAL STT WITH PL-3 MAXXHEAT
M63348RDF-MH	6" OVAL STT WITH DRYFIT MAXXHEAT

FEATURES	
<ul style="list-style-type: none"> • Heater turns on automatically when the temperature drops below 45°F (7°C) • Just connect standard PL-3 or Dry Fit Connector—NO Additional Wiring • Polycarbonate Lens 	<ul style="list-style-type: none"> • Multi-stage smart heater—High, Medium, Low Power Mode • DOT FMVSS108 / CMVSS108 Compliant • 5 Year Warranty

